Form PTO-1449	U.S. Department of Commerce Patent and Trademark Office		Predecessor SERIAL NO. 10/323,101
INFORMATI	ON DISCLOSURE STATEMENT BY APPLICANT	APPLICANT Bast, et al.	
(Use set	veral sheets if necessary)	FILING DATE herewith	GROUP 1614

U.S. PATENT DOCUMENTS

			r			
Examiner	Document	Date	Name ¹	Class	Súbclass	Filing Date
Initial	Number			,	:	If Appropriate
LAR	US 6,001,631	12/14/99	Blanche et al.	435	233	1/24/97

1200

FOREIGN PATENT DOCUMENTS

		Document	Date	Country	Class	Subclass	<u>Transl</u>	<u>lation</u>
	_	Number					Yes I	No
LIDE		WO 00/24932	5/4/00	PCT				
LAR		WO 96/03516	2/8/96	PCT				

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

	OTHER DOCUMENTS (Including Admot, Time, Date, Fernite In Fages, Etc.)
LAR	Andriole, V.T., The Future of the Quinolones, Drugs, Vol 58, Suppl 2, 1-5 (1999)
LAR	Baranova et al., Apparent involvement of a multidrug transporter in the fluoroquinolone resistance of streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, June 1997, 1396-1398
LAR	Breiman, et al., Emergence of Drug-Resistant Pneumococcal Infections in the United States, JAMA, June 15, 1994, Vol 271, No. 23, 1831-1835
LAR	Brenwald et al., The effect of reserpine, an inhibitor of multi-drug efflux pumps, on the in-vitro susceptibilities of fluoroquinolone-resistant strains of streptococcus pneumoniae to norfloxacin, J. Antimicrob Chemother 1997, 40, 458-460
LAR	Brenwald, et al, Prevalence of a Putative Efflux mechanism among Fluoroquinolone-Resistant. Clinical Isolates of Streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, 42(8): 2032-2035 (1998)
LAR	Brenwald, et al., Grepafloxacin vs Pneumococci Resistant to Fluoroquinolones by a Putative Efflux Mechanism, Drugs, Vol 58, Suppl 2, 117-118 (1999)
LAR	Bryskier, A., Update, Anti-infectives, Novelties in the field of fluoroquinolones, Exp. Opin. Invest. Drugs (1997) 6(9):1227-1245
LAR	Chen, D.K., et al., Decreased Susceptibility of Streptococcus Pneumoniae to Fluoroquinolones in Canada, New England Jnl of Medicine, Vol 341, No. 4, 233-239 (July 22, 1999)
LAR	Chu, D.T.W., The Future Role of Quinolones, Exp. Opin. Ther. Patents (1996) 6(8) 711-737
LAR	Davies, et al., In vitro Development of Resistance to Five Quinolones and Amoxicillin-Clavulanate in Streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, 43(5): 1177-1182 (1999)

2 June 2005

`\ <i>!</i>	
LAR	Discotto, L.F., et al., 38th Interscience Conference on Antimicrobial Agents and Chemotherapy (ICAAC), September 24-27, 1998, San Diego, CA, USA, Exp. Opin. Invest. Drugs (1998) 7(12) 2061-2977
	Drugline, Molecule of the Month, Drug News Perspect 11(8), October 1998, 505
	Erwin, M.E., et al., Studies to Establish Quality Control Ranges for SB-265805 (LB20304) When
\	Using National Committee for Clinical Laboratory Standards Antimicrobial Susceptibility Test
1 1	Methods, Journal of Clinical Microbiology, Jan. 1999, 279-280
	Friedland, et al., Management of Infections Caused by Antibiotic-Resistant Streptococcus
	pneumoniae, New England Journal of Medicine, 331(6): 377-382 (1994)
	Garau, J., The Role of Quinolones in the Treatment of Community-Acquired Pneumonia, Medicina
	Clinica, Vol 110, Suppl 1, 31-35 (Feb 1998), and English language abstract
	Georgiou, et al., Ciprofloxacin-Resistant Haemophilus influenzae Strains Process Mutations in
	Analogous Positions of GyrA and ParC, Antimicrobial Agents and Chemotherapy, 40(7): 1741-1744, (1996)
1.	Gill et al., Identification of an efflux pump gene, pmrA, associated with fluoroquinolone resistance in
	streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, Jan. 1999, 187-189
	Gonzalez et al., Fluoroquinolone resistance mutations in the parC, parE, and gyrA genes of clinical
	isolates of viridans group streptococci, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2792-
	2798
	Graul, A., et al., SB-265805/LB-20304a Naphthyridine Antibacterial, Drugs Future, Vol 23(11) 1199-
	1204 (1998)
	Hooper, Mode of Action of Fluoroquinolones, Drugs, Vol 58, Suppl 2, 6-10 (1999)
	Jacobs, Treatment and Diagnosis of Infections Caused by Drug-Resistant Streptococcus pneumoniae,
	Clinical Infectious Diseases, 15: 119-127 (1992)
	Jacobs, et al., Antibiotic-resistant pneumococci, Review in Medical Microbiology, 6(2): 77-93 (1995)
	Jacobs, et al., Susceptibilities of Streptococcus pneumoniae and Haemophilus influenzae to 10 Oral Antimicrobial Agents Based on Pharmacodynamic Parameters: 1997 U.S. Surveillance Study, Antimicrobial Agents and Chemotherapy, 43(8): 1901-1908 (1999)
	Janoir et al, High-level fluoroquinolone resistance in streptococcus pneumoniae requires mutations in parC and gyr A, Antimicrobial Agents and Chemotherapy, Dec 1996, 2760-2764
	Johnson, D.M., et al., Anti-Streptococcal Activity of SB-265805 (LB20304), a Novel
	Fluoronaphthyridone, Compared With Five Other Compounds, Including Quality Control Guidelines,
	Diagn Microbiol Infect Dis 1999; 33:87-91
	Journal of Antimicrobial Chemotherapy, 21st International Congress of Chemotherapy, Birmingham
	UK, July 4-7, 1999, Suppl. A to Vol. 44 July 1999, pp. 125-127, 130-132, 135-136, 139-142, 144-
	148; 21st ICC poster nos. P 385, 386, 391, 406, 408, 413, 429, 434, 449, 452, 454, 460-462, 474, 477,
	482, 484, 486-488, 491, 492
	McDougal, et al., Analysis of Multiply Antimicrobial-Resistant Isolates of Streptococcus pneumoniae
1.1	Antimicrobial Agents and Chemotherapy, 36(10): 2176-2184 (1992)
	Munoz et al, ParC subunit of DNA topoisomerase IV of streptococcus pneumoniae is a primary target
LAR	of fluoroquinolones and cooperates with DNA gyrase A subunit in forming resistance phenotype,
	Antimicrobial Agents and Chemotherapy, Oct 1996, 2252-2257

27me 2005

and-resistant pneumococci, Journal of Antimicrobial Chemotherapy, 35: 230-232 (1995) Pankuch, et al., Antipneumococcal Activities of RP59500 (Quinupristin-Dalfopristin) Penicillin G, Erythromycin, and Sparfloxacin Determined by MIC and Rapid Time-Kill Methodologies, Antimicrobial Agents and Chemotherapy, 40(7): 1653-1656 (1996) Perichon et al., Characterization of a mutation in the parE gene that confers fluoroquinolone resistance in streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, May 1997, 1166-1167 Piddock et al., Activities of new fluoroquinolones against fluoroquinolone-resistant pathogens of the lower respiratory tract, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2956-2960 Piddock, Mechanisms of Fluoroquinolone Resistance: An Update 1994-1998, Drugs, Vol 58, Suppl 2, 11-18 (1999) Reinert, R.R., et al., In Vitro Activity of SB-265805 Against Streptococcus pneumoniae in Germany, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 143, Abstract P219, and poster P219 (ECCMID March 1999, Germany) Smirnov, A. et al., Gemifloxacin is Effective in Experimental Pneumococcal Meningitis, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P223, and poster P223 (ECCMID March 1999, Germany) Spangler, et al., Susceptibilities of Penicillin-Susceptible and -Resistant Strains of Streptococcus pneumoniae to RP59500, Vancomycin, Erythromycin, PD 131628, Sparfloxacin, Temafloxacin, Win 57272, Ofloxacin, and Cirpofloxacin, Antimicrobial Agents and Chemotherapy, 36(4): 856-859 (1992) Spangler, et al., Susceptibility of 170 penicillin-susceptible and penicillin-resistant pneumococci to six oral cephalosporins, four quinolones, desacetylcefotaxime, Ro 23-9424 and RP 67829, Journal of Antimicrobial Chemotherapy, 31: 273-280 (1993) Spangler, et al., Postantibiotic Effect and Postantibiotic Sub-MI Effect of Levofloxacin Compared to Those of Ofloxacin, Ciprofloxacin, Erythromycin, Azithromycin, and Clarithromycin against 20	9	······································
and Chemotherapy, 41(5): 950-955 (1997) Pan, et al., Involvement of Topoisomerase IV and DNA Gyrase as Ciprofloxacin Targets in Streptococcul pneumoniae, Antimicrobial Agents and Chemotherapy, 40(10): 2321-2326 (1996) Pan et al., Targeting of DNA gyrase in streptococcus pneumoniae by sparfloxacin: selective targeting of gyrase or topoisomerase IV by quinolones, Antimicrobial Agents and Chemotherapy, Feb. 1997, 471-474 Pan et al., DNA gyrase and topoisomerase IV are dual targets of clinafloxacin action in streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2810-2816 Pankuch, et al., Study of Comparative Antipneumoccal Activities of Penicillin G, RP 59500, Erythromycin, Sparfloxacin, Ciprofloxacin, and Vancorwycin by Using Time-Kill Methodology, Antimicrobial Agents and Chemotherapy, 38(9): 2065-2072(1994) Parkuch, et al., Activity of CP99.219 compared with Du-6859a, ciprofloxacin, ofloxacin, levofloxacin, lomefloxacin, tosufloxacin, sparfloxacin and grapafloxacin against penicillin-susceptible and-resistant pneumococcal, Journal of Antimicrobial Chemotherapy, 35: 230-232 (1995) Pankuch, et al., Antipneumococcal Activities of RP59500 (Quinupristin-Dalfopristin) Penicillin G, Erythromycin, and Sparfloxacin Determined by MIC and Rapid Time-Kill Methodologies, Antimicrobial Agents and Chemotherapy, 40(7): 1653-1656 (1996) Perichon et al., Characterization of a mutation in the parE gene that confers fluoroquinolone resistance in streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2956-2960 Piddock et al., Activities of new fluoroquinolones against fluoroquinolone-resistant phanogens of the lower respiratory tract, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2956-2960 Piddock, Mechanisms of Fluoroquinolone Resistance: An Update 1994-1998, Drugs, Vol 58, Suppl 2, 11-18 (1999) Reinert, R.R., et al., In Vitro Activity of SB-265805 Against Streptococcus pneumoniae in Germany, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P219, and post		
Pan, et al., Involvement of Topoisomerase IV and DNA Gyrase as Ciprofloxacin Targets in Streptococcul pneumoniae, Antimicrobial Agents and Chemotherapy, 40(10): 2321-2326 (1996) Pan et al., Targeting of DNA gyrase in streptococcus pneumoniae by sparfloxacin: selective targeting of gyrase or topoisomerase IV by quinolones, Antimicrobial Agents and Chemotherapy, Feb. 1997, 471-474 Pan et al., DNA gyrase and topoisomerase IV are dual targets of clinafloxacin action in streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2810-2816 Pankuch, et al., Study of Comparative Antipneumoccal Activities of Penicillin G, RP 59500, Erythromycin, Sparfloxacin, Ciprofloxacin, and Vancomycin by Using Time-Kill Methodology, Antimicrobial Agents and Chemotherapy, 38(9): 2065-2072(1994) Pankuch, et al., Activity of CP99.219 compared with Du-6859a, ciprofloxacin, ofloxacin, levofloxacin, lomefloxacin, tosufloxacin, sparfloxacin and grapafloxacin against penicillin-susceptible and-resistant pneumococci, Journal of Antimicrobial Chemotherapy, 35: 230-232 (1995) Pankuch, et al., Antipneumococcal Activities of RP59500 (Quinupristin-Dalfopristin) Penicillin G, Erythromycin, and Sparfloxacin Determined by MIC and Rapid Time-Kill Methodologies, Antimicrobial Agents and Chemotherapy, 40(7): 1653-1656 (1996) Perichon et al., Characterization of a mutation in the parE gene that confers fluoroquinolone resistance in streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, May 1997, 1166-1167 Piddock et al., Activities of new fluoroquinolones against fluoroquinolone-resistant pathogens of the lower respiratory tract, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2956-2960 Piddock, Mechanisms of Fluoroquinolone Resistance: An Update 1994-1998, Drugs, Vol 58, Suppl 2, 11-18 (1999) Reinert, R.R., et al., In Vitro Activity of SB-265805 Against Streptococcus pneumoniae in Germany, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P223, and poster P219 (ECCMID March 1999, Germany) Spangl	LAR	and Ciprofloxacin on Staphylococcus aureus and Streptococcus pneumoniae, Antimicrobial Agents
Streptococcul pneumoniae, Antimicrobial Agents and Chemotherapy, 40(10): 2321-2326 (1996) Pan et al., Targeting of DNA gyrase in streptococcus pneumoniae by sparfloxacin: selective targeting of gyrase or topoisomerase IV by quinolones, Antimicrobial Agents and Chemotherapy, Feb. 1997, 471-474 Pan et al., DNA gyrase and topoisomerase IV are dual targets of clinafloxacin action in streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2810-2816 Pankuch, et al., Study of Comparative Antipneumoccal Activities of Penicillin G, RP 59500, Erythromycin, Sparfloxacin, Ciprofloxacin, and Vancomycin by Using Time-Kill Methodology, Antimicrobial Agents and Chemotherapy, 38(9): 2065-2072(1994) Pankuch, et al., Activity of CP99.219 compared with Du-6859a, ciprofloxacin, ofloxacin, levofloxacin, lomefloxacin, tosufloxacin, sparfloxacin and grapáfloxacin against penicillin-susceptible and-resistant pneumococci, Journal of Antimicrobial Chemotherapy, 35: 230-232 (1995) Pankuch, et al., Antipneumococcal Activities of RP59500 (Quinupristin-Dalfopristin) Penicillin G, Erythromycin, and Sparfloxacin Determined by MIC and Rapid Time-Kill Methodologies, Antimicrobial Agents and Chemotherapy, 40(7): 1653-1656 (1996) Perichon et al., Characterization of a mutation in the parE gene that confers fluoroquinolone resistance in streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, May 1997, 1166-1167 Piddock et al., Activities of new fluoroquinolones against fluoroquinolone-resistant pathogens of the lower respiratory tract, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2956-2960 Piddock, Mechanisms of Fluoroquinolone Resistance: An Update 1994-1998, Drugs, Vol 58, Suppl 2, 11-18 (1999) Reinert, R.R., et al., In Vitro Activity of SB-265805 Against Streptococcus pneumoniae in Germany, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 143, Abstract P219, and poster P219 (ECCMID March 1999, Germany) Smirnov, A. et al., Gemifloxacin is Effective in Experimental Pneumococcal Meningitis, Clin. M		and Chemotherapy, 41(5): 950-955 (1997)
Pan et al., Targeting of DNA gyrase in streptococcus pneumoniae by sparfloxacin: selective targeting of gyrase or topoisomerase IV by quinolones, Antimicrobial Agents and Chemotherapy, Feb. 1997, 471-474 Pan et al., DNA gyrase and topoisomerase IV are dual targets of clinafloxacin action in streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2810-2816 Pankuch, et al., Study of Comparative Antipneumoccal Activities of Penicillin G, RP 59500, Erythromycin, Sparfloxacin, Ciprofloxacin, and Vancomycin by Using Time-Kill Methodology, Antimicrobial Agents and Chemotherapy, 38(9): 2005-2072(1994) Pankuch, et al., Activity of CP99.219 compared with Du-6859a, ciprofloxacin, ofloxacin, levofloxacin, tosufloxacin, sparfloxacin and grapafloxacin against penicillin-susceptible and-resistant pneumococci, Journal of Antimicrobial Chemotherapy, 35: 230-232 (1995) Pankuch, et al., Antipneumococcal Activities of RP59500 (Quinupristin-Dalfopristin) Penicillin G, Erythromycin, and Sparfloxacin Determined by MIC and Rapid Time-Kill Methodologies, Antimicrobial Agents and Chemotherapy, 40(7): 1653-1656 (1996) Perichon et al., Characterization of a mutation in the parE gene that confers fluoroquinolone resistance in streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, May 1997, 1166-1167 Piddock et al., Activities of new fluoroquinolones against fluoroquinolone-resistant pathogens of the lower respiratory tract, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2956-2960 Piddock, Mechanisms of Fluoroquinolone Resistance: An Update 1994-1998, Drugs, Vol 58, Suppl 2, 11-18 (1999) Reinert, R.R., et al., In Vitro Activity of SB-265805 Against Streptococcus pneumoniae in Germany, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 143, Abstract P219, and poster P219 (ECCMID March 1999, Germany) Smirnov, A. et al., Gemifloxacin is Effective in Experimental Pneumococcal Meningitis, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P223, and poster P223 (ECCMID March 1999,		Pan, et al., Involvement of Topoisomerase IV and DNA Gyrase as Ciprofloxacin Targets in
of gyrase or topoisomerase IV by quinolones, Antimicrobial Agents and Chemotherapy, Feb. 1997, 471-474 Pan et al., DNA gyrase and topoisomerase IV are dual targets of clinafloxacin action in streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2810-2816 Pankuch, et al., Study of Comparative Antipneumoccal Activities of Penicillin G, RP 59500, Erythromycin, Sparfloxacin, Ciprofloxacin, and Vancomycin by Using Time-Kill Methodology, Antimicrobial Agents and Chemotherapy, 38(9): 2065-2072(1994) Pankuch, et al., Activity of CP99.219 compared with Du-6859a, ciprofloxacin, ofloxacin, levofloxacin, lomefloxacin, tosufloxacin, sparfloxacin and grapafloxacin against penicillin-susceptible and-resistant pneumococci, Journal of Antimicrobial Chemotherapy, 35: 230-232 (1995) Pankuch, et al., Antipneumococcal Activities of RP59500 (Quinupristin-Dalfopristin) Penicillin G, Erythromycin, and Sparfloxacin Determined by MIC and Rapid Time-Kill Methodologies, Antimicrobial Agents and Chemotherapy, 40(7): 1653-1656 (1996) Perichon et al., Characterization of a mutation in the parE gene that confers fluoroquinolone resistance in streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, Nay 1997, 1166-1167 Piddock et al., Activities of new fluoroquinolones against fluoroquinolone-resistant pathogens of the lower respiratory tract, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2956-2960 Piddock, Mechanisms of Fluoroquinolone Resistance: An Update 1994-1998, Drugs, Vol 58, Suppl 2, 11-18 (1999) Reinert, R.R., et al., In Vitro Activity of SB-265805 Against Streptococcus pneumoniae in Germany, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 143, Abstract P219, and poster P219 (ECCMID March 1999, Germany) Smirnov, A. et al., Gemifloxacin is Effective in Experimental Pneumococcal Meningitis, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P223, and poster P223 (ECCMID March 1999, Germany) Spangler, et al., Susceptibilities of Penicillin-Susceptible and -Resistant S		Streptococcul pneumoniae, Antimicrobial Agents and Chemotherapy, 40(10): 2321-2326 (1996)
Pan et al., DNA gyrase and topoisomerase IV are dual targets of clinafloxacin action in streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2810-2816 Pankuch, et al., Study of Comparative Antipneumoccal Activities of Penicillin G, RP 59500, Erythromycin, Sparfloxacin, Ciprofloxacin, and Vancomycin by Using Time-Kill Methodology, Antimicrobial Agents and Chemotherapy, 38(9): 2065-2072(1994) Pankuch, et al., Activity of CP99.219 compared with Du-6859a, ciprofloxacin, ofloxacin, levofloxacin, lomefloxacin, sparfloxacin and grapáfloxacin against penicillin-susceptible and-resistant pneumococci, Journal of Antimicrobial Chemotherapy, 35: 230-232 (1995) Pankuch, et al., Antipneumococcal Activities of RP59500 (Quinupristin-Dalfopristin) Penicillin G, Erythromycin, and Sparfloxacin Determined by MIC and Rapid Time-Kill Methodologies, Antimicrobial Agents and Chemotherapy, 40(7): 1653-1656 (1996) Perichon et al., Characterization of a mutation in the parE gene that confers fluoroquinolone resistance in streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, May 1997, 1166-1167 Piddock et al., Activities of new fluoroquinolones against fluoroquinolone-resistant pathogens of the lower respiratory tract, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2956-2960 Piddock, Mechanisms of Fluoroquinolone Resistance: An Update 1994-1998, Drugs, Vol 58, Suppl 2, 11-18 (1999) Reinert, R.R., et al., In Vitro Activity of SB-265805 Against Streptococcus pneumoniae in Germany, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 143, Abstract P219, and poster P219 (ECCMID March 1999, Germany) Smirnov, A. et al., Gemifloxacin is Effective in Experimental Pneumococcal Meningitis, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P223, and poster P223 (ECCMID March 1999, Germany) Spangler, et al., Susceptibilities of Penicillin-Susceptible and -Resistant Strains of Streptococcus pneumoniae to RP59500, Vancomycin, Erythromycin, PD 131628, Sparfloxacin, Temafloxacin, Win 57		Pan et al., Targeting of DNA gyrase in streptococcus pneumoniae by sparfloxacin: selective targeting
Pan et al., DNA gyrase and topoisomerase IV are dual targets of clinafloxacin action in streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2810-2816 Pankuch, et al., Study of Comparative Antipneumoccal Activities of Penicillin G, RP 59500, Erythromycin, Sparfloxacin, Ciprofloxacin, and Vancomycin by Using Time-Kill Methodology, Antimicrobial Agents and Chemotherapy, 38(9): 2065-2072(1994) Pankuch, et al., Activity of CP99.219 compared with Du-6859a, ciprofloxacin, ofloxacin, levofloxacin, lomefloxacin, tosufloxacin, sparfloxacin and grapafloxacin against penicillin-susceptible and-resistant pneumococci, Journal of Antimicrobial Chemotherapy, 35: 230-232 (1995) Pankuch, et al., Antipneumococcal Activities of RP59500 (Quinupristin-Dalfopristin) Penicillin G, Erythromycin, and Sparfloxacin Determined by MIC and Rapid Time-Kill Methodologies, Antimicrobial Agents and Chemotherapy, 40(7): 1653-1656 (1996) Perichon et al., Characterization of a mutation in the parE gene that confers fluoroquinolone resistance in streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, May 1997, 1166-1167 Piddock et al., Activities of new fluoroquinolones against fluoroquinolone-resistant pathogens of the lower respiratory tract, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2956-2960 Piddock, Mechanisms of Fluoroquinolone Resistance: An Update 1994-1998, Drugs, Vol 58, Suppl 2, 11-18 (1999) Reinert, R.R., et al., In Vitro Activity of SB-265805 Against Streptococcus pneumoniae in Germany, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 143, Abstract P219, and poster P219 (ECCMID March 1999, Germany) Smirnov, A. et al., Gemifloxacin is Effective in Experimental Pneumococcal Meningitis, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P223, and poster P223 (ECCMID March 1999, Germany) Spangler, et al., Susceptibilities of Penicillin-susceptible and -Resistant Strains of Streptococcus pneumoniae to RP59500, Vancomycin, Erythromycin, P1 131628, Sparfloxacin, Temafl		of gyrase or topoisomerase IV by quinolones, Antimicrobial Agents and Chemotherapy, Feb. 1997,
pneumoniae, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2810-2816 Pankuch, et al., Study of Comparative Antipneumoccal Activities of Penicillin G, RP 59500, Erythromycin, Sparfloxacin, Ciprofloxacin, and Vancomycin by Using Time-Kill Methodology, Antimicrobial Agents and Chemotherapy, 38(9): 2065-2072(1994) Pankuch, et al., Activity of CP99.219 compared with Du-6859a, ciprofloxacin, ofloxacin, levofloxacin, lomefloxacin, tosufloxacin, sparfloxacin and grapáfloxacin against penicillin-susceptible and-resistant pneumococci, Journal of Antimicrobial Chemotherapy, 35: 230-232 (1995) Pankuch, et al., Antipneumococcal Activities of RP59500 (Quinupristin-Dalfopristin) Penicillin G, Erythromycin, and Sparfloxacin Determined by MIC and Rapid Time-Kill Methodologies, Antimicrobial Agents and Chemotherapy, 40(7): 1653-1656 (1996) Perichon et al., Characterization of a mutation in the parE gene that confers fluoroquinolone resistance in streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, May 1997, 1166-1167 Piddock et al., Activities of new fluoroquinolones against fluoroquinolone-resistant pathogens of the lower respiratory tract, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2956-2960 Piddock, Mechanisms of Fluoroquinolone Resistance: An Update 1994-1998, Drugs, Vol 58, Suppl 2, 11-18 (1999) Reinert, R.R., et al., In Vitro Activity of SB-265805 Against Streptococcus pneumoniae in Germany, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 143, Abstract P219, and poster P219 (ECCMID March 1999, Germany) Smirnov, A. et al., Gemifloxacin is Effective in Experimental Pneumococcal Meningitis, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P223, and poster P223 (ECCMID March 1999, Germany) Spangler, et al., Susceptibilities of Penicillin-Susceptible and -Resistant Strains of Streptococcus pneumoniae to RP59500, Vancomycin, Erythromycin, PD 131628, Sparfloxacin, Temafloxacin, Win 57272, Ofloxacin, and Cirpofloxacin, Antimicrobial Agents and Chemotherapy, 36(4): 856-859		471-474
Pankuch, et al., Study of Comparative Antipneumoccal Activities of Penicillin G, RP 59500, Erythromycin, Sparfloxacin, Ciprofloxacin, and Vancomycin by Using Time-Kill Methodology, Antimicrobial Agents and Chemotherapy, 38(9): 2065-2072(1994) Pankuch, et al., Activity of CP99.219 compared with Du-6859a, ciprofloxacin, ofloxacin, levofloxacin, lomefloxacin, tosufloxacin, sparfloxacin and grapafloxacin against penicillin-susceptible and-resistant pneumococci, Journal of Antimicrobial Chemotherapy, 35: 230-232 (1995) Pankuch, et al., Antipneumococcal Activities of RP59500 (Quinupristin-Dalfopristin) Penicillin G, Erythromycin, and Sparfloxacin Determined by MIC and Rapid Time-Kill Methodologies, Antimicrobial Agents and Chemotherapy, 40(7): 1653-1656 (1996) Perichon et al., Characterization of a mutation in the parE gene that confers fluoroquinolone resistance in streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, May 1997, 1166-1167 Piddock et al., Activities of new fluoroquinolones against fluoroquinolone-resistant pathogens of the lower respiratory tract, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2956-2960 Piddock, Mechanisms of Fluoroquinolone Resistance: An Update 1994-1998, Drugs, Vol 58, Suppl 2, 11-18 (1999) Reinert, R.R., et al., In Vitro Activity of SB-265805 Against Streptococcus pneumoniae in Germany, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 143, Abstract P219, and poster P219 (ECCMID March 1999, Germany) Smirnov, A. et al., Gemifloxacin is Effective in Experimental Pneumococcal Meningitis, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P223, and poster P223 (ECCMID March 1999, Germany) Spangler, et al., Susceptibilities of Penicillin-Susceptible and -Resistant Strains of Streptococcus pneumoniae to RP59500, Vancomycin, Erythromycin, PD 131628, Sparfloxacin, Temafloxacin, Win 57272, Ofloxacin, and Cirpofloxacin, Antimicrobial Agents and Chemotherapy, 36(4): 856-859 (1992) Spangler, et al., Susceptibility of 170 penicillin-susceptible a		Pan et al., DNA gyrase and topoisomerase IV are dual targets of clinafloxacin action in streptococcus
Erythromycin, Sparfloxacin, Ciprofloxacin, and Vancomycin by Using Time-Kill Methodology, Antimicrobial Agents and Chemotherapy, 38(9): 2065-2072(1994) Pankuch, et al., Activity of CP99.219 compared with Du-6859a, ciprofloxacin, ofloxacin, levofloxacin, losufloxacin, sparfloxacin and grapafloxacia against penicillin-susceptible and-resistant pneumococci, Journal of Antimicrobial Chemotherapy, 35: 230-232 (1995) Pankuch, et al., Antipneumococcal Activities of RP59500 (Quinupristin-Dalfopristin) Penicillin G, Erythromycin, and Sparfloxacin Determined by MIC and Rapid Time-Kill Methodologies, Antimicrobial Agents and Chemotherapy, 40(7): 1653-1656 (1996) Perichon et al., Characterization of a mutation in the parE gene that confers fluoroquinolone resistance in streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, May 1997, 1166-1167 Piddock et al., Activities of new fluoroquinolones against fluoroquinolone-resistant pathogens of the lower respiratory tract, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2956-2960 Piddock, Mechanisms of Fluoroquinolone Resistance: An Update 1994-1998, Drugs, Vol 58, Suppl 2, 11-18 (1999) Reinert, R.R., et al., In Vitro Activity of SB-265805 Against Streptococcus pneumoniae in Germany, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 143, Abstract P219, and poster P219 (ECCMID March 1999, Germany) Smirnov, A. et al., Gemifloxacin is Effective in Experimental Pneumococcal Meningitis, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P223, and poster P223 (ECCMID March 1999, Germany) Spangler, et al., Susceptibilities of Penicillin-Susceptible and -Resistant Strains of Streptococcus pneumoniae to RP59500, Vancomycin, Erythromycin, PD 131628, Sparfloxacin, Temafloxacin, Win 57272, Ofloxacin, and Cirpofloxacin, Antimicrobial Agents and Chemotherapy, 36(4): 856-859 (1992) Spangler, et al., Postantibiotic Effect and Postantibiotic Sub-MI Effect of Levofloxacin Compared to Those of Ofloxacin, Ciprofloxacin, Erythromycin, Azithromycin, and C		pneumoniae, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2810-2816
Antimicrobial Agents and Chemotherapy, 38(9): 2065-2072(1994) Pankuch, et al., Activity of CP99.219 compared with Du-6859a, ciprofloxacin, ofloxacin, levofloxacin, lomefloxacin, tosufloxacin, sparfloxacin and grapafloxacin against penicillin-susceptible and-resistant pneumococci, Journal of Antimicrobial Chemotherapy, 35: 230-232 (1995) Pankuch, et al., Antipneumococcal Activities of RP59500 (Quinupristin-Dalfopristin) Penicillin G, Erythromycin, and Sparfloxacin Determined by MIC and Rapid Time-Kill Methodologies, Antimicrobial Agents and Chemotherapy, 40(7): 1653-1656 (1996) Perichon et al., Characterization of a mutation in the parE gene that confers fluoroquinolone resistance in streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, May 1997, 1166-1167 Piddock et al., Activities of new fluoroquinolones against fluoroquinolone-resistant pathogens of the lower respiratory tract, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2956-2960 Piddock, Mechanisms of Fluoroquinolone Resistance: An Update 1994-1998, Drugs, Vol 58, Suppl 2, 11-18 (1999) Reinert, R.R., et al., In Vitro Activity of SB-265805 Against Streptococcus pneumoniae in Germany, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 143, Abstract P219, and poster P219 (ECCMID March 1999, Germany) Smirnov, A. et al., Gemifloxacin is Effective in Experimental Pneumococcal Meningitis, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P223, and poster P223 (ECCMID March 1999, Germany) Spangler, et al., Susceptibilities of Penicillin-Susceptible and -Resistant Strains of Streptococcus pneumoniae to RP59500, Vancomycin, Erythromycin, PD 131628, Sparfloxacin, Temafloxacin, Win 57272, Ofloxacin, and Cirpofloxacin, Antimicrobial Agents and Chemotherapy, 36(4): 856-859 (1992) Spangler, et al., Susceptibility of 170 penicillin-susceptible and penicillin-resistant pneumococci to six oral cephalosporins, four quinolones, desacetylcefotaxime, Ro 23-9424 and RP 67829, Journal of Antimicrobial Chemotherapy, 31: 273-280 (19		Pankuch, et al., Study of Comparative Antipneumoccal Activities of Penicillin G, RP 59500,
Antimicrobial Agents and Chemotherapy, 38(9): 2065-2072(1994) Pankuch, et al., Activity of CP99.219 compared with Du-6859a, ciprofloxacin, ofloxacin, levofloxacin, lomefloxacin, tosufloxacin, sparfloxacin and grapafloxacin against penicillin-susceptible and-resistant pneumococci, Journal of Antimicrobial Chemotherapy, 35: 230-232 (1995) Pankuch, et al., Antipneumococcal Activities of RP59500 (Quinupristin-Dalfopristin) Penicillin G, Erythromycin, and Sparfloxacin Determined by MIC and Rapid Time-Kill Methodologies, Antimicrobial Agents and Chemotherapy, 40(7): 1653-1656 (1996) Perichon et al., Characterization of a mutation in the parE gene that confers fluoroquinolone resistance in streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, May 1997, 1166-1167 Piddock et al., Activities of new fluoroquinolones against fluoroquinolone-resistant pathogens of the lower respiratory tract, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2956-2960 Piddock, Mechanisms of Fluoroquinolone Resistance: An Update 1994-1998, Drugs, Vol 58, Suppl 2, 11-18 (1999) Reinert, R.R., et al., In Vitro Activity of SB-265805 Against Streptococcus pneumoniae in Germany, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 143, Abstract P219, and poster P219 (ECCMID March 1999, Germany) Smirnov, A. et al., Gemifloxacin is Effective in Experimental Pneumococcal Meningitis, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P223, and poster P223 (ECCMID March 1999, Germany) Spangler, et al., Susceptibilities of Penicillin-Susceptible and -Resistant Strains of Streptococcus pneumoniae to RP59500, Vancomycin, Erythromycin, PD 131628, Sparfloxacin, Temafloxacin, Win 57272, Ofloxacin, and Cirpofloxacin, Antimicrobial Agents and Chemotherapy, 36(4): 856-859 (1992) Spangler, et al., Susceptibility of 170 penicillin-susceptible and penicillin-resistant pneumococci to six oral cephalosporins, four quinolones, desacetylcefotaxime, Ro 23-9424 and RP 67829, Journal of Antimicrobial Chemotherapy, 31: 273-280 (19		Erythromycin, Sparfloxacin, Ciprofloxacin, and Vancomycin by Using Time-Kill Methodology,
Pankuch, et al., Activity of CP99.219 compared with Du-6859a, ciprofloxacin, ofloxacin, levofloxacin, lomefloxacin, tosufloxacin, sparfloxacin and grapáfloxacin against penicillin-susceptible and-resistant pneumococci, Journal of Antimicrobial Chemotherapy, 35: 230-232 (1995) Pankuch, et al., Antipneumococcal Activities of RP59500 (Quinupristin-Dalfopristin) Penicillin G, Erythromycin, and Sparfloxacin Determined by MIC and Rapid Time-Kill Methodologies, Antimicrobial Agents and Chemotherapy, 40(7): 1653-1656 (1996) Perichon et al., Characterization of a mutation in the parE gene that confers fluoroquinolone resistance in streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, May 1997, 1166-1167 Piddock et al., Activities of new fluoroquinolones against fluoroquinolone-resistant pathogens of the lower respiratory tract, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2956-2960 Piddock, Mechanisms of Fluoroquinolone Resistance: An Update 1994-1998, Drugs, Vol 58, Suppl 2, 11-18 (1999) Reinert, R.R., et al., In Vitro Activity of SB-265805 Against Streptococcus pneumoniae in Germany, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 143, Abstract P219, and poster P219 (ECCMID March 1999, Germany) Smirmov, A. et al., Gemifloxacin is Effective in Experimental Pneumococcal Meningitis, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P223, and poster P223 (ECCMID March 1999, Germany) Spangler, et al., Susceptibilities of Penicillin-Susceptible and -Resistant Strains of Streptococcus pneumoniae to RP59500, Vancomycin, Erythromycin, PD 131628, Sparfloxacin, Temafloxacin, Win 57272, Ofloxacin, and Cirpofloxacin, Antimicrobial Agents and Chemotherapy, 36(4): 856-859 (1992) Spangler, et al., Susceptibility of 170 penicillin-susceptible and penicillin-resistant pneumococci to six oral cephalosporins, four quinolones, desacetylcefotaxime, Ro 23-9424 and RP 67829, Journal of Antimicrobial Chemotherapy, 31: 273-280 (1993) Spangler, et al., Postantibiotic Effect and Postantibiotic	1.	
levofloxacin, lomefloxacin, tosufloxacin, sparfloxacin and grapafloxacin against penicillin-susceptible and-resistant pneumococci, Journal of Antimicrobial Chemotherapy, 35: 230-232 (1995) Pankuch, et al., Antipneumococcal Activities of RP59500 (Quinupristin-Dalfopristin) Penicillin G, Erythromycin, and Sparfloxacin Determined by MIC and Rapid Time-Kill Methodologies, Antimicrobial Agents and Chemotherapy, 40(7): 1653-1656 (1996) Perichon et al., Characterization of a mutation in the parE gene that confers fluoroquinolone resistance in streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, May 1997, 1166-1167 Piddock et al., Activities of new fluoroquinolones against fluoroquinolone-resistant pathogens of the lower respiratory tract, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2956-2960 Piddock, Mechanisms of Fluoroquinolone Resistance: An Update 1994-1998, Drugs, Vol 58, Suppl 2, 11-18 (1999) Reinert, R.R., et al., In Vitro Activity of SB-265805 Against Streptococcus pneumoniae in Germany, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 143, Abstract P219, and poster P219 (ECCMID March 1999, Germany) Smirnov, A. et al., Gemifloxacin is Effective in Experimental Pneumococcal Meningitis, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P223, and poster P223 (ECCMID March 1999, Germany) Spangler, et al., Susceptibilities of Penicillin-Susceptible and -Resistant Strains of Streptococcus pneumoniae to RP59500, Vancomycin, Erythromycin, PD 131628, Sparfloxacin, Temafloxacin, Win 57272, Ofloxacin, and Cirpofloxacin, Antimicrobial Agents and Chemotherapy, 36(4): 856-859 (1992) Spangler, et al., Susceptibility of 170 penicillin-susceptible and penicillin-resistant pneumococi to six oral cephalosporins, four quinolones, desacetylcefotaxime, Ro 23-9424 and RP 67829, Journal of Antimicrobial Chemotherapy, 31: 273-280 (1993) Spangler, et al., Postantibiotic Effect and Postantibiotic Sub-MI Effect of Levofloxacin Compared to Those of Ofloxacin, Ciprofloxacin, Erythromyci		
and-resistant pneumococci, Journal of Antimicrobial Chemotherapy, 35: 230-232 (1995) Pankuch, et al., Antipneumococcal Activities of RP59500 (Quinupristin-Dalfopristin) Penicillin G, Erythromycin, and Sparfloxacin Determined by MIC and Rapid Time-Kill Methodologies, Antimicrobial Agents and Chemotherapy, 40(7): 1653-1656 (1996) Perichon et al., Characterization of a mutation in the parE gene that confers fluoroquinolone resistance in streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, May 1997, 1166-1167 Piddock et al., Activities of new fluoroquinolones against fluoroquinolone-resistant pathogens of the lower respiratory tract, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2956-2960 Piddock, Mechanisms of Fluoroquinolone Resistance: An Update 1994-1998, Drugs, Vol 58, Suppl 2, 11-18 (1999) Reinert, R.R., et al., In Vitro Activity of SB-265805 Against Streptococcus pneumoniae in Germany, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 143, Abstract P219, and poster P219 (ECCMID March 1999, Germany) Smirnov, A. et al., Gemifloxacin is Effective in Experimental Pneumococcal Meningitis, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P223, and poster P223 (ECCMID March 1999, Germany) Spangler, et al., Susceptibilities of Penicillin-Susceptible and -Resistant Strains of Streptococcus pneumoniae to RP59500, Vancomycin, Erythromycin, PD 131628, Sparfloxacin, Temafloxacin, Win 57272, Ofloxacin, and Cirpofloxacin, Antimicrobial Agents and Chemotherapy, 36(4): 856-859 (1992) Spangler, et al., Susceptibility of 170 penicillin-susceptible and penicillin-resistant pneumococci to six oral cephalosporins, four quinolones, desacetylcefotaxime, Ro 23-9424 and RP 67829, Journal of Antimicrobial Chemotherapy, 31: 273-280 (1993) Spangler, et al., Postantibiotic Effect and Postantibiotic Sub-MI Effect of Levofloxacin Compared to Those of Ofloxacin, Ciprofloxacin, Erythromycin, Azithromycin, and Clarithromycin against 20	,	
Pankuch, et al., Antipneumococcal Activities of RP59500 (Quinupristin-Dalfopristin) Penicillin G, Erythromycin, and Sparfloxacin Determined by MIC and Rapid Time-Kill Methodologies, Antimicrobial Agents and Chemotherapy, 40(7): 1653-1656 (1996) Perichon et al., Characterization of a mutation in the parE gene that confers fluoroquinolone resistance in streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, May 1997, 1166-1167 Piddock et al., Activities of new fluoroquinolones against fluoroquinolone-resistant pathogens of the lower respiratory tract, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2956-2960 Piddock, Mechanisms of Fluoroquinolone Resistance: An Update 1994-1998, Drugs, Vol 58, Suppl 2, 11-18 (1999) Reinert, R.R., et al., In Vitro Activity of SB-265805 Against Streptococcus pneumoniae in Germany, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 143, Abstract P219, and poster P219 (ECCMID March 1999, Germany) Smirnov, A. et al., Gemifloxacin is Effective in Experimental Pneumococcal Meningitis, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P223, and poster P223 (ECCMID March 1999, Germany) Spangler, et al., Susceptibilities of Penicillin-Susceptible and -Resistant Strains of Streptococcus pneumoniae to RP59500, Vancomycin, Erythromycin, PD 131628, Sparfloxacin, Temafloxacin, Win 57272, Ofloxacin, and Cirpofloxacin, Antimicrobial Agents and Chemotherapy, 36(4): 856-859 (1992) Spangler, et al., Susceptibility of 170 penicillin-susceptible and penicillin-resistant pneumococci to six oral cephalosporins, four quinolones, desacetylcefotaxime, Ro 23-9424 and RP 67829, Journal of Antimicrobial Chemotherapy, 31: 273-280 (1993) Spangler, et al., Postantibiotic Effect and Postantibiotic Sub-MI Effect of Levofloxacin Compared to Those of Ofloxacin, Ciprofloxacin, Erythromycin, Azithromycin, and Clarithromycin against20		
Erythromycin, and Sparfloxacin Determined by MIC and Rapid Time-Kill Methodologies, Antimicrobial Agents and Chemotherapy, 40(7): 1653-1656 (1996) Perichon et al., Characterization of a mutation in the parE gene that confers fluoroquinolone resistance in streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, May 1997, 1166-1167 Piddock et al., Activities of new fluoroquinolones against fluoroquinolone-resistant pathogens of the lower respiratory tract, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2956-2960 Piddock, Mechanisms of Fluoroquinolone Resistance: An Update 1994-1998, Drugs, Vol 58, Suppl 2, 11-18 (1999) Reinert, R.R., et al., In Vitro Activity of SB-265805 Against Streptococcus pneumoniae in Germany, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 143, Abstract P219, and poster P219 (ECCMID March 1999, Germany) Smirnov, A. et al., Gemifloxacin is Effective in Experimental Pneumococcal Meningitis, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P223, and poster P223 (ECCMID March 1999, Germany) Spangler, et al., Susceptibilities of Penicillin-Susceptible and -Resistant Strains of Streptococcus pneumoniae to RP59500, Vancomycin, Erythromycin, PD 131628, Sparfloxacin, Temafloxacin, Win 57272, Ofloxacin, and Cirpofloxacin, Antimicrobial Agents and Chemotherapy, 36(4): 856-859 (1992) Spangler, et al., Susceptibility of 170 penicillin-susceptible and penicillin-resistant pneumococci to six oral cephalosporins, four quinolones, desacetylcefotaxime, Ro 23-9424 and RP 67829, Journal of Antimicrobial Chemotherapy, 31: 273-280 (1993) Spangler, et al., Postantibiotic Effect and Postantibiotic Sub-MI Effect of Levofloxacin Compared to Those of Ofloxacin, Ciprofloxacin, Erythromycin, Azithromycin, and Clarithromycin against20		
Antimicrobial Agents and Chemotherapy, 40(7): 1653-1656 (1996) Perichon et al., Characterization of a mutation in the parE gene that confers fluoroquinolone resistance in streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, May 1997, 1166-1167 Piddock et al., Activities of new fluoroquinolones against fluoroquinolone-resistant pathogens of the lower respiratory tract, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2956-2960 Piddock, Mechanisms of Fluoroquinolone Resistance: An Update 1994-1998, Drugs, Vol 58, Suppl 2, 11-18 (1999) Reinert, R.R., et al., In Vitro Activity of SB-265805 Against Streptococcus pneumoniae in Germany, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 143, Abstract P219, and poster P219 (ECCMID March 1999, Germany) Smirnov, A. et al., Gemifloxacin is Effective in Experimental Pneumococcal Meningitis, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P223, and poster P223 (ECCMID March 1999, Germany) Spangler, et al., Susceptibilities of Penicillin-Susceptible and -Resistant Strains of Streptococcus pneumoniae to RP59500, Vancomycin, Erythromycin, PD 131628, Sparfloxacin, Temafloxacin, Win 57272, Ofloxacin, and Cirpofloxacin, Antimicrobial Agents and Chemotherapy, 36(4): 856-859 (1992) Spangler, et al., Susceptibility of 170 penicillin-susceptible and penicillin-resistant pneumococci to six oral cephalosporins, four quinolones, desacetylcefotaxime, Ro 23-9424 and RP 67829, Journal of Antimicrobial Chemotherapy, 31: 273-280 (1993) Spangler, et al., Postantibiotic Effect and Postantibiotic Sub-MI Effect of Levofloxacin Compared to Those of Ofloxacin, Ciprofloxacin, Erythromycin, Azithromycin, and Clarithromycin against20		
Perichon et al., Characterization of a mutation in the parE gene that confers fluoroquinolone resistance in streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, May 1997, 1166-1167 Piddock et al., Activities of new fluoroquinolones against fluoroquinolone-resistant pathogens of the lower respiratory tract, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2956-2960 Piddock, Mechanisms of Fluoroquinolone Resistance: An Update 1994-1998, Drugs, Vol 58, Suppl 2, 11-18 (1999) Reinert, R.R., et al., In Vitro Activity of SB-265805 Against Streptococcus pneumoniae in Germany, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 143, Abstract P219, and poster P219 (ECCMID March 1999, Germany) Smirnov, A. et al., Gemifloxacin is Effective in Experimental Pneumococcal Meningitis, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P223, and poster P223 (ECCMID March 1999, Germany) Spangler, et al., Susceptibilities of Penicillin-Susceptible and -Resistant Strains of Streptococcus pneumoniae to RP59500, Vancomycin, Erythromycin, PD 131628, Sparfloxacin, Temafloxacin, Win 57272, Ofloxacin, and Cirpofloxacin, Antimicrobial Agents and Chemotherapy, 36(4): 856-859 (1992) Spangler, et al., Susceptibility of 170 penicillin-susceptible and penicillin-resistant pneumococci to six oral cephalosporins, four quinolones, desacetylcefotaxime, Ro 23-9424 and RP 67829, Journal of Antimicrobial Chemotherapy, 31: 273-280 (1993) Spangler, et al., Postantibiotic Effect and Postantibiotic Sub-MI Effect of Levofloxacin Compared to Those of Ofloxacin, Ciprofloxacin, Erythromycin, Azithromycin, and Clarithromycin against20		
in streptococcus pneumoniae, Antimicrobial Agents and Chemotherapy, May 1997, 1166-1167 Piddock et al., Activities of new fluoroquinolones against fluoroquinolone-resistant pathogens of the lower respiratory tract, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2956-2960 Piddock, Mechanisms of Fluoroquinolone Resistance: An Update 1994-1998, Drugs, Vol 58, Suppl 2, 11-18 (1999) Reinert, R.R., et al., In Vitro Activity of SB-265805 Against Streptococcus pneumoniae in Germany, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 143, Abstract P219, and poster P219 (ECCMID March 1999, Germany) Smirnov, A. et al., Gemifloxacin is Effective in Experimental Pneumococcal Meningitis, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P223, and poster P223 (ECCMID March 1999, Germany) Spangler, et al., Susceptibilities of Penicillin-Susceptible and -Resistant Strains of Streptococcus pneumoniae to RP59500, Vancomycin, Erythromycin, PD 131628, Sparfloxacin, Temafloxacin, Win 57272, Ofloxacin, and Cirpofloxacin, Antimicrobial Agents and Chemotherapy, 36(4): 856-859 (1992) Spangler, et al., Susceptibility of 170 penicillin-susceptible and penicillin-resistant pneumococci to six oral cephalosporins, four quinolones, desacetylcefotaxime, Ro 23-9424 and RP 67829, Journal of Antimicrobial Chemotherapy, 31: 273-280 (1993) Spangler, et al., Postantibiotic Effect and Postantibiotic Sub-MI Effect of Levofloxacin Compared to Those of Ofloxacin, Ciprofloxacin, Erythromycin, Azithromycin, and Clarithromycin against20		
Piddock et al., Activities of new fluoroquinolones against fluoroquinolone-resistant pathogens of the lower respiratory tract, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2956-2960 Piddock, Mechanisms of Fluoroquinolone Resistance: An Update 1994-1998, Drugs, Vol 58, Suppl 2, 11-18 (1999) Reinert, R.R., et al., In Vitro Activity of SB-265805 Against Streptococcus pneumoniae in Germany, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 143, Abstract P219, and poster P219 (ECCMID March 1999, Germany) Smirnov, A. et al., Gemifloxacin is Effective in Experimental Pneumococcal Meningitis, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P223, and poster P223 (ECCMID March 1999, Germany) Spangler, et al., Susceptibilities of Penicillin-Susceptible and -Resistant Strains of Streptococcus pneumoniae to RP59500, Vancomycin, Erythromycin, PD 131628, Sparfloxacin, Temafloxacin, Win 57272, Ofloxacin, and Cirpofloxacin, Antimicrobial Agents and Chemotherapy, 36(4): 856-859 (1992) Spangler, et al., Susceptibility of 170 penicillin-susceptible and penicillin-resistant pneumococci to six oral cephalosporins, four quinolones, desacetylcefotaxime, Ro 23-9424 and RP 67829, Journal of Antimicrobial Chemotherapy, 31: 273-280 (1993) Spangler, et al., Postantibiotic Effect and Postantibiotic Sub-MI Effect of Levofloxacin Compared to Those of Ofloxacin, Ciprofloxacin, Erythromycin, Azithromycin, and Clarithromycin against20		· · ·
lower respiratory tract, Antimicrobial Agents and Chemotherapy, Nov. 1998, 2956-2960 Piddock, Mechanisms of Fluoroquinolone Resistance: An Update 1994-1998, Drugs, Vol 58, Suppl 2, 11-18 (1999) Reinert, R.R., et al., In Vitro Activity of SB-265805 Against Streptococcus pneumoniae in Germany, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 143, Abstract P219, and poster P219 (ECCMID March 1999, Germany) Smirnov, A. et al., Gemifloxacin is Effective in Experimental Pneumococcal Meningitis, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P223, and poster P223 (ECCMID March 1999, Germany) Spangler, et al., Susceptibilities of Penicillin-Susceptible and -Resistant Strains of Streptococcus pneumoniae to RP59500, Vancomycin, Erythromycin, PD 131628, Sparfloxacin, Temafloxacin, Win 57272, Ofloxacin, and Cirpofloxacin, Antimicrobial Agents and Chemotherapy, 36(4): 856-859 (1992) Spangler, et al., Susceptibility of 170 penicillin-susceptible and penicillin-resistant pneumococci to six oral cephalosporins, four quinolones, desacetylcefotaxime, Ro 23-9424 and RP 67829, Journal of Antimicrobial Chemotherapy, 31: 273-280 (1993) Spangler, et al., Postantibiotic Effect and Postantibiotic Sub-MI Effect of Levofloxacin Compared to Those of Ofloxacin, Ciprofloxacin, Erythromycin, Azithromycin, and Clarithromycin against20		
Piddock, Mechanisms of Fluoroquinolone Resistance: An Update 1994-1998, Drugs, Vol 58, Suppl 2, 11-18 (1999) Reinert, R.R., et al., In Vitro Activity of SB-265805 Against Streptococcus pneumoniae in Germany, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 143, Abstract P219, and poster P219 (ECCMID March 1999, Germany) Smirnov, A. et al., Gemifloxacin is Effective in Experimental Pneumococcal Meningitis, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P223, and poster P223 (ECCMID March 1999, Germany) Spangler, et al., Susceptibilities of Penicillin-Susceptible and -Resistant Strains of Streptococcus pneumoniae to RP59500, Vancomycin, Erythromycin, PD 131628, Sparfloxacin, Temafloxacin, Win 57272, Ofloxacin, and Cirpofloxacin, Antimicrobial Agents and Chemotherapy, 36(4): 856-859 (1992) Spangler, et al., Susceptibility of 170 penicillin-susceptible and penicillin-resistant pneumococci to six oral cephalosporins, four quinolones, desacetylcefotaxime, Ro 23-9424 and RP 67829, Journal of Antimicrobial Chemotherapy, 31: 273-280 (1993) Spangler, et al., Postantibiotic Effect and Postantibiotic Sub-MI Effect of Levofloxacin Compared to Those of Ofloxacin, Ciprofloxacin, Erythromycin, Azithromycin, and Clarithromycin against20		
Reinert, R.R., et al., In Vitro Activity of SB-265805 Against Streptococcus pneumoniae in Germany, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 143, Abstract P219, and poster P219 (ECCMID March 1999, Germany) Smirnov, A. et al., Gemifloxacin is Effective in Experimental Pneumococcal Meningitis, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P223, and poster P223 (ECCMID March 1999, Germany) Spangler, et al., Susceptibilities of Penicillin-Susceptible and -Resistant Strains of Streptococcus pneumoniae to RP59500, Vancomycin, Erythromycin, PD 131628, Sparfloxacin, Temafloxacin, Win 57272, Ofloxacin, and Cirpofloxacin, Antimicrobial Agents and Chemotherapy, 36(4): 856-859 (1992) Spangler, et al., Susceptibility of 170 penicillin-susceptible and penicillin-resistant pneumococci to six oral cephalosporins, four quinolones, desacetylcefotaxime, Ro 23-9424 and RP 67829, Journal of Antimicrobial Chemotherapy, 31: 273-280 (1993) Spangler, et al., Postantibiotic Effect and Postantibiotic Sub-MI Effect of Levofloxacin Compared to Those of Ofloxacin, Ciprofloxacin, Erythromycin, Azithromycin, and Clarithromycin against20		
Reinert, R.R., et al., In Vitro Activity of SB-265805 Against Streptococcus pneumoniae in Germany, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 143, Abstract P219, and poster P219 (ECCMID March 1999, Germany) Smirnov, A. et al., Gemifloxacin is Effective in Experimental Pneumococcal Meningitis, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P223, and poster P223 (ECCMID March 1999, Germany) Spangler, et al., Susceptibilities of Penicillin-Susceptible and -Resistant Strains of Streptococcus pneumoniae to RP59500, Vancomycin, Erythromycin, PD 131628, Sparfloxacin, Temafloxacin, Win 57272, Ofloxacin, and Cirpofloxacin, Antimicrobial Agents and Chemotherapy, 36(4): 856-859 (1992) Spangler, et al., Susceptibility of 170 penicillin-susceptible and penicillin-resistant pneumococci to six oral cephalosporins, four quinolones, desacetylcefotaxime, Ro 23-9424 and RP 67829, Journal of Antimicrobial Chemotherapy, 31: 273-280 (1993) Spangler, et al., Postantibiotic Effect and Postantibiotic Sub-MI Effect of Levofloxacin Compared to Those of Ofloxacin, Ciprofloxacin, Erythromycin, Azithromycin, and Clarithromycin against20		
Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 143, Abstract P219, and poster P219 (ECCMID March 1999, Germany) Smirnov, A. et al., Gemifloxacin is Effective in Experimental Pneumococcal Meningitis, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P223, and poster P223 (ECCMID March 1999, Germany) Spangler, et al., Susceptibilities of Penicillin-Susceptible and -Resistant Strains of Streptococcus pneumoniae to RP59500, Vancomycin, Erythromycin, PD 131628, Sparfloxacin, Temafloxacin, Win 57272, Ofloxacin, and Cirpofloxacin, Antimicrobial Agents and Chemotherapy, 36(4): 856-859 (1992) Spangler, et al., Susceptibility of 170 penicillin-susceptible and penicillin-resistant pneumococci to six oral cephalosporins, four quinolones, desacetylcefotaxime, Ro 23-9424 and RP 67829, Journal of Antimicrobial Chemotherapy, 31: 273-280 (1993) Spangler, et al., Postantibiotic Effect and Postantibiotic Sub-MI Effect of Levofloxacin Compared to Those of Ofloxacin, Ciprofloxacin, Erythromycin, Azithromycin, and Clarithromycin against20		Reinert, R.R., et al., In Vitro Activity of SB-265805 Against Streptococcus pneumoniae in Germany,
March 1999, Germany) Smirnov, A. et al., Gemifloxacin is Effective in Experimental Pneumococcal Meningitis, Clin. Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P223, and poster P223 (ECCMID March 1999, Germany) Spangler, et al., Susceptibilities of Penicillin-Susceptible and -Resistant Strains of Streptococcus pneumoniae to RP59500, Vancomycin, Erythromycin, PD 131628, Sparfloxacin, Temafloxacin, Win 57272, Ofloxacin, and Cirpofloxacin, Antimicrobial Agents and Chemotherapy, 36(4): 856-859 (1992) Spangler, et al., Susceptibility of 170 penicillin-susceptible and penicillin-resistant pneumococci to six oral cephalosporins, four quinolones, desacetylcefotaxime, Ro 23-9424 and RP 67829, Journal of Antimicrobial Chemotherapy, 31: 273-280 (1993) Spangler, et al., Postantibiotic Effect and Postantibiotic Sub-MI Effect of Levofloxacin Compared to Those of Ofloxacin, Ciprofloxacin, Erythromycin, Azithromycin, and Clarithromycin against20		
Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P223, and poster P223 (ECCMID March 1999, Germany) Spangler, et al., Susceptibilities of Penicillin-Susceptible and -Resistant Strains of Streptococcus pneumoniae to RP59500, Vancomycin, Erythromycin, PD 131628, Sparfloxacin, Temafloxacin, Win 57272, Ofloxacin, and Cirpofloxacin, Antimicrobial Agents and Chemotherapy, 36(4): 856-859 (1992) Spangler, et al., Susceptibility of 170 penicillin-susceptible and penicillin-resistant pneumococci to six oral cephalosporins, four quinolones, desacetylcefotaxime, Ro 23-9424 and RP 67829, Journal of Antimicrobial Chemotherapy, 31: 273-280 (1993) Spangler, et al., Postantibiotic Effect and Postantibiotic Sub-MI Effect of Levofloxacin Compared to Those of Ofloxacin, Ciprofloxacin, Erythromycin, Azithromycin, and Clarithromycin against20		
Microbiol. and Infection, 1999, Vol. 5, Suppl. 3, 144, Abstract P223, and poster P223 (ECCMID March 1999, Germany) Spangler, et al., Susceptibilities of Penicillin-Susceptible and -Resistant Strains of Streptococcus pneumoniae to RP59500, Vancomycin, Erythromycin, PD 131628, Sparfloxacin, Temafloxacin, Win 57272, Ofloxacin, and Cirpofloxacin, Antimicrobial Agents and Chemotherapy, 36(4): 856-859 (1992) Spangler, et al., Susceptibility of 170 penicillin-susceptible and penicillin-resistant pneumococci to six oral cephalosporins, four quinolones, desacetylcefotaxime, Ro 23-9424 and RP 67829, Journal of Antimicrobial Chemotherapy, 31: 273-280 (1993) Spangler, et al., Postantibiotic Effect and Postantibiotic Sub-MI Effect of Levofloxacin Compared to Those of Ofloxacin, Ciprofloxacin, Erythromycin, Azithromycin, and Clarithromycin against20		
March 1999, Germany) Spangler, et al., Susceptibilities of Penicillin-Susceptible and -Resistant Strains of Streptococcus pneumoniae to RP59500, Vancomycin, Erythromycin, PD 131628, Sparfloxacin, Temafloxacin, Win 57272, Ofloxacin, and Cirpofloxacin, Antimicrobial Agents and Chemotherapy, 36(4): 856-859 (1992) Spangler, et al., Susceptibility of 170 penicillin-susceptible and penicillin-resistant pneumococci to six oral cephalosporins, four quinolones, desacetylcefotaxime, Ro 23-9424 and RP 67829, Journal of Antimicrobial Chemotherapy, 31: 273-280 (1993) Spangler, et al., Postantibiotic Effect and Postantibiotic Sub-MI Effect of Levofloxacin Compared to Those of Ofloxacin, Ciprofloxacin, Erythromycin, Azithromycin, and Clarithromycin against20		
Spangler, et al., Susceptibilities of Penicillin-Susceptible and -Resistant Strains of Streptococcus pneumoniae to RP59500, Vancomycin, Erythromycin, PD 131628, Sparfloxacin, Temafloxacin, Win 57272, Ofloxacin, and Cirpofloxacin, Antimicrobial Agents and Chemotherapy, 36(4): 856-859 (1992) Spangler, et al., Susceptibility of 170 penicillin-susceptible and penicillin-resistant pneumococci to six oral cephalosporins, four quinolones, desacetylcefotaxime, Ro 23-9424 and RP 67829, Journal of Antimicrobial Chemotherapy, 31: 273-280 (1993) Spangler, et al., Postantibiotic Effect and Postantibiotic Sub-MI Effect of Levofloxacin Compared to Those of Ofloxacin, Ciprofloxacin, Erythromycin, Azithromycin, and Clarithromycin against20		
pneumoniae to RP59500, Vancomycin, Erythromycin, PD 131628, Sparfloxacin, Temafloxacin, Win 57272, Ofloxacin, and Cirpofloxacin, Antimicrobial Agents and Chemotherapy, 36(4): 856-859 (1992) Spangler, et al., Susceptibility of 170 penicillin-susceptible and penicillin-resistant pneumococci to six oral cephalosporins, four quinolones, desacetylcefotaxime, Ro 23-9424 and RP 67829, Journal of Antimicrobial Chemotherapy, 31: 273-280 (1993) Spangler, et al., Postantibiotic Effect and Postantibiotic Sub-MI Effect of Levofloxacin Compared to Those of Ofloxacin, Ciprofloxacin, Erythromycin, Azithromycin, and Clarithromycin against 20		
57272, Ofloxacin, and Cirpofloxacin, Antimicrobial Agents and Chemotherapy, 36(4): 856-859 (1992) Spangler, et al., Susceptibility of 170 penicillin-susceptible and penicillin-resistant pneumococci to six oral cephalosporins, four quinolones, desacetylcefotaxime, Ro 23-9424 and RP 67829, Journal of Antimicrobial Chemotherapy, 31: 273-280 (1993) Spangler, et al., Postantibiotic Effect and Postantibiotic Sub-MI Effect of Levofloxacin Compared to Those of Ofloxacin, Ciprofloxacin, Erythromycin, Azithromycin, and Clarithromycin against 20		1
Spangler, et al., Susceptibility of 170 penicillin-susceptible and penicillin-resistant pneumococci to six oral cephalosporins, four quinolones, desacetylcefotaxime, Ro 23-9424 and RP 67829, Journal of Antimicrobial Chemotherapy, 31: 273-280 (1993) Spangler, et al., Postantibiotic Effect and Postantibiotic Sub-MI Effect of Levofloxacin Compared to Those of Ofloxacin, Ciprofloxacin, Erythromycin, Azithromycin, and Clarithromycin against 20		
Spangler, et al., Susceptibility of 170 penicillin-susceptible and penicillin-resistant pneumococci to six oral cephalosporins, four quinolones, desacetylcefotaxime, Ro 23-9424 and RP 67829, Journal of Antimicrobial Chemotherapy, 31: 273-280 (1993) Spangler, et al., Postantibiotic Effect and Postantibiotic Sub-MI Effect of Levofloxacin Compared to Those of Ofloxacin, Ciprofloxacin, Erythromycin, Azithromycin, and Clarithromycin against 20		
oral cephalosporins, four quinolones, desacetylcefotaxime, Ro 23-9424 and RP 67829, Journal of Antimicrobial Chemotherapy, 31: 273-280 (1993) Spangler, et al., Postantibiotic Effect and Postantibiotic Sub-MI Effect of Levofloxacin Compared to Those of Ofloxacin, Ciprofloxacin, Erythromycin, Azithromycin, and Clarithromycin against 20		Spangler, et al., Susceptibility of 170 penicillin-susceptible and penicillin-resistant pneumococci to six
Antimicrobial Chemotherapy, 31: 273-280 (1993) Spangler, et al., Postantibiotic Effect and Postantibiotic Sub-MI Effect of Levofloxacin Compared to Those of Ofloxacin, Ciprofloxacin, Erythromycin, Azithromycin, and Clarithromycin against 20		
Spangler, et al., Postantibiotic Effect and Postantibiotic Sub-MI Effect of Levofloxacin Compared to Those of Ofloxacin, Ciprofloxacin, Erythromycin, Azithromycin, and Clarithromycin against 20		
Those of Ofloxacin, Ciprofloxacin, Erythromycin, Azithromycin, and Clarithromycin against 20		
	ian	· · · · · · · · · · · · · · · · · · ·
	LTIV	Pneumococci Antimicrobial Agents and Chemotherapy, 42(5): 1253-1255 (1998)

2 June 2005

Tankovic et al, Contribution of Mutations in gyrA and parC genes to fluoroquinolone resistance of mutants of streptococcus pneumoniae obtained in vivo and in vitro, Antimicrobial Agents and Chemotherapy, Nov 1996, 2505-2510						
	Visalli, et al., MIC and Time-Kill Study of Activities of DU-6859a, Ciprofloxacin, Levofloxacin, Sparfloxacin, Cefotaxime, Imipenem, and Vancomycin against Nine Penicillin-Susceptible and-Resistant Pneumococci, Antimicrobial Agents and Chemotherapy, 40(2): 362-366 (1996)					
LAR	Zeller et al. Active efflux as a mechanism of resistance to ciprofloxacin in streptococcus pneumoniae					
EXAMINER -II	EXAMINER - Initial if citation considered, whether or not citation is in conformance with MPEP 609; draw line through					
1	t In conformance and not considered. Include copy of this form with next communication to applicant.					

. : \ n:\ljh\applications\\P5's\P50955RC3\1449 form 3.doc

U.S. PATENT DOCUMENTS

Examiner Initial	Document Number	Date	Name	Class	Subclass	Filing Date If Appropriate
LATE	5,633,262	5/27/97	Hong et al.			
	5,776,944	7/7/98	Hong et al.			
	5,869,670	2/9/99	Hong et al.			
LAR	5,962,468	10/5/99	Hong et al.			

FOREIGN PATENT DOCUMENTS

	Document Number:	Date	Country	Class	Subclass	<u>Transk</u> Yes 1	ation No
LAL	WO 98/42705	01.10.98	PCT		\ -		
LAR	EP 688772 A1	27.12.95	EPO				

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

LAL	G. Cormican, "Comparative Antimicrobial and Spectrum Activity of LB20304a, a New Fluoronated
LTIL	Naphthyridone Compound", Abstracts of the 36th ICAAC, 109 Abst F53 (1996)
	J-H. Kwak, "Antimicrobial Activities of LB20304a, a New Quinolone Antibiotic", The Journal of
	Applied Pharmacology (4) pp. 378-384 (1996)
	M-K. Seo, "Pharmacokinetics of LB20304, a New Fluoroquinolone, in Rats and Dogs", Arch. Pharm.
	Res. Vol. 19, No. 5, pp. 359-367 (1996)
	C. Yong Hong, et al., "Novel Fluoroquinolone Antibacterial Agents Containing Oxime-Substituted
	(Aminomethyl) pyrrolidines: Synthesis and Antibacterial Activity of 7-(4-(Aminomethyl)-3-
	(methoxyimino) pyrrolidin-1-yl)-1-cyclopropyl-6-fluoro-4-oxo-1,4-dihydro [1,8] naphthyridine-3-
	carboxylic Acid (LB20304)", J. Med. Chem. 40 (22) pp. 3584-3593 (1997)
	M-K. Seo et al., "High Performance Liquid Chromatographic Assay of a New Fluoroquinolone,
	LB20304, in the Plasma of Rats and Dogs", Arch. Pharm. Res. Vol. 19, No. 6, pp. 554-558 (1996)
	M-J. Ahn, et al., "InVivo Efficacy of LB20304a against Experimental Respiratory Tract Infection in
	Mice", Yakhak Hoeji Vol. 40, No. 4, pp. 438-441 (1996)
	M-J. Ahn, et al., "Effect of a New Fluoroquinolone LB20304a on Microflora of Caecum in Mice",
ļ	Yakhak Hoeji Vol 40, No. 3, pp. 343-346 (1996)
	K-S. Paek, et al., "Factors Affecting In Vitro Activity of LB20304, New Fluoroquinolone", Arch.
	Pharm. Res. Vol. 19, No. 2, pp. 143-147 (1996)
	M-J. Ahn, et al, "Post-Antibiotic Effect of LB20304, A New Quinolone Antibiotic", Yakhak Hoeji
	Vol. 40, No. 3, pp. 347-350 (1996)
	F. Marco, et al., "Antimicrobial Activity of LB20304, a Fluoronaphthyridone, Tested Against
	Anaerobic Bacteria", J. Antimicrobial Chemother Vol. 40, No. 4, pp. 605-607 (1997)
	M. G. Cormican, et al, "Antimicrobial Activity and Spectrum of LB20304, a Novel
	Fluoronaphthyridone", Antimicrobial. Agents. Chemotherapy Vol. 41, No. 1, pp. 204-211 (1997)
LPR	A. F. Hohl, et al, l'International Multicenter Investigation of LB20304, a New Fluoronaphthyridone",
	Clin. Microbiol. Infect. Vol. 4, No. 5, pp. 280-284 (1998)
	DATE CONSIDERED 2 WHE 2005
	ligation of the colors of the

n:\loretta\applications\p3\s\p50955Ap50955rc31/449 formc3.doc

Sheet 2 of 2 Form PTO-1449 ATTY. DOCKET NO. PREDECESSOR SERIAL NO. U.S. Department of Commerce Patent and Trademark Office | P50955RC3 10/323,101~ INFORMATION DISCLOSURE STATEMENT APPLICANT Bast, et al. BY APPLICANT FILING DATE GROUP Herewith 1614 (Use several sheets if necessary)

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) K-S. Paek, et al, "Bactericidal Activities of LB20304, a New Fluoroquinolone", Arch. Pharm. Res. LAR Vol. 19, No. 4, pp. 317-320 (1996) M. Kim, et al, "In Vitro Activities of LB20304, a New Fluoroquinolone", Arch. Pharm. Res. Vol. 19, No. 1, pp. 52-59 (1996) M-Y. Kim, et al, "Bacterial Resistance to LB20304, a New Fluoroquinolone Antibiotic, Arch. Pharm. Res. Vol. 19, No. 5, pp. 400-405 (1996) J-I. Oh, et al, "In Vitro and In Vivo Evaluations of LB20304, a New Fluoronaphthyridone", Antimicrobial Agents and Chemotherapy Vol. 40, No. 6, pp. 1564-1568 (1996) Kelly et al., "Antipneumococcal Activity of SB 265805 (A New Broad Spectrum Quinolone) Compared with Nine Compounds by MIC," 38th ICAAC, San Diego CA, Abst F-87, p. 254 (1998) J-I. Oh et al., "In vitro and In vivo Antibacterial Activities of LB20304, a New fluoronaphthyridone," Abstracts of the 35th ICAAC, p. 148, S-122, Abst F205 (1995) Y-K. Kim et al., "Synthesis and Antibacterial Activities of LB20304: A New Fluoronaphthyridone Antibiotic Containing Novel Oxime Functionalized Pyrrolidine," Abstracts of the 35th ICAAC, p. LAR 148, S-122, Abst F204 (1995)

ormc3.doc

N:\loretta\Applications\P5\b250935R\P50955C2\1449 FormRCE.doc